

6 REFERENCES

- Anchor. 2001. Interim Remedial Action: Log Pond Cleanup/Habitat Restoration – Completion Report. May 2001. Prepared for Georgia Pacific West, Inc., Bellingham, Washington. Prepared by Anchor Environmental, L.L.C. Seattle, Washington.
- Anchor. 2005a. Draft Final Focused Remedial Investigation Report Upriver Dam PCB Sediment Site. March 2004. Prepared by Anchor Environmental, LLC. Seattle, WA
- Anchor. 2005b. Draft Final Focused Feasibility Study Upriver Dam PCB Sediment Site. February 2005. Prepared by Anchor Environmental, L.L.C. Seattle, WA
- Anchor. 2005c. Draft Remedial Design Work Plan Spokane River Upriver Dam PCB Site. December 2005. Prepared by Anchor Environmental, L.L.C. Seattle, WA
- Anchor. 2006a. 30 Percent Design Technical Memorandum Spokane River Upriver Dam PCB Site. February 2006. Prepared by Anchor Environmental, L.L.C. Seattle, WA
- Anchor. 2006b. Revisions to the 90 Percent Design Submittal Technical Memorandum Upriver Dam PCB Sediments Site. May 26, 2006. Prepared by Anchor Environmental, L.L.C. Seattle, WA
- Avista. 2004. “SPOKANE RIVER HYDROELECTRIC PROJECT, FERC No. 2545.” Application for New License Major Project—Existing Dam. VOLUME II, Part 1 of 2. Applicant-Prepared Preliminary Draft Environmental Assessment, 18 CFR, Part 4, Subpart F, Section 4.51. Prepared by Avista Corporation, Spokane, Washington, as a first working draft provided for Plenary Group review.
- Ecology. 1995a. Chapter 173-204 WAC. Sediment Management Standards. December 1995. Washington State Department of Ecology. Olympia, WA
- Ecology. 1995b. Department of Ecology 1993-94 Investigation of PCBs in the Spokane River. February 1995. Pub. No. 95-310. Washington State Department of Ecology. Olympia, WA
- Ecology. 2001. Chapter 173-340 WAC. Model Toxics Control Act. February 2001. Washington State Department of Ecology. Olympia, WA

- Ecology. 2003. Development of Freshwater Sediment Quality Values for Use in Washington State. September 2003. Washington State Department of Ecology.
- Ecology. 2005. Final Cleanup Action Plan Spokane River Upriver Dam PCB Site Spokane, WA. Washington State Department of Ecology. Eastern Regional Office Spokane, WA
- EPA. 2001. Coeur d'Alene Basin Remedial Investigation/Feasibility Study. Report prepared for U.S. Environmental Protection Agency by URS, Seattle, WA. October 2001.
- EPA. 2002. Record of Decision, Coeur d'Alene Basin. Report prepared for U.S. Environmental Protection Agency by URS, Seattle, WA. September 2002.
- Exponent and Anchor. 2001. Sediment characterization of sediment in the Spokane River upstream of the Upriver Dam. Prepared by Exponent, Bellevue, WA, and Anchor Environmental L.L.C., Seattle, WA.
- Grindeland, T. 2003. Personal conversation between Greg Guannel from Anchor Environmental and Tom Grindeland, P.E., from WEST Consultants.
- Hart Crowser. 1995. Supplemental 1994 Spokane River PCB Investigations, Kaiser Aluminum and Chemical Corporation, Trentwood Works, Spokane, Washington. Report prepared by Hart Crowser, Inc., Seattle, WA. February 2, 1995.
- Henderson, F.M. 1966. "Open Channel Flow." Macmillan Series in Civil Engineering. New-York. 522 pp.
- Johnson, A. 2000. A Reconnaissance Survey on Metals, Semivolatiles, and PCBs in Sediment Deposits behind Upriver Dam, Spokane River. Publication No. 00-03-021, Washington Department of Ecology, Olympia, WA. 17 pp.
- Johnson, A., and D. Norton. 2001. Chemical Analysis and Toxicity Testing of Spokane River Sediments Collected in October 2000. Pub. No. 01-03-019. Washington Department of Ecology, Olympia, WA. 30 pp.
- Lambe, T. William, and Whitman, Robert V. Soil Mechanics. New York. Wiley. 1969.
- Michelsen, et al. 1988. <http://www.nws.usace.army.mil/PublicMenu/>.

- Palermo, M.R. 1986. Development of a Modified Elutriate Testing for Estimating the Quality of Effluent Discharged from Confined Dredged Material Disposal Areas, Technical Report D-86-4, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS. NTIS No. AD-A173 526.
- Palermo, M., Clausner, J., Rollings, M., Williams, G., Myers, T., Fredetter, T, and Randall, R. 1998a. "Guidance for subaqueous dredged material capping," Technical Report DOER-1, U.S. Army Engineers Waterways Experiment Station, Vicksburg, MS.
- Palermo, M., S. Maynard, J. Miller, and D. Reible. 1998b. Guidance for In Situ Subaqueous Capping of Contaminated Sediments, EPA 905-B96-004, Great Lakes National Program Office, Chicago, IL
- Reible, D.D. 1998. Model for Chemical Containment by a Cap. Appendix B in Palermo, M., S. Maynard, J. Miller, and D. Reible, 1998. Guidance for In Situ Subaqueous Capping of Contaminated Sediments, EPA 905-B96-004, Great Lakes National Program Office, Chicago, IL.
- Shields, A. 1936. "Anwendung der Aenlichkeitsmechanik und der Turbulenzforsschung auf die Geschiebebewegung." *Mitteilungen der Preussichen Versuchsanstalt fur Wasserbau und Schiffbau*. Berlin, Germany translated by W.P. Ott and J.C. van Uchelen, California Institute of Technology, Pasadena, California.
- Stockinger, Gary. Personal communication between James Keithly of Anchor Environmental and Gary Stockinger from Avista Development, Inc. January 2006.
- U.S. Army Corps of Engineers (Corps). 1994. "Hydraulic Design of Flood Control Channels", Engineer Manual No. 1110-2-1601 Change 1
- U.S. Geological Survey (USGS). 2006. Real-Time Water Data for Washington. <http://waterdata.usgs.gov/wa/nwis/uv>.
- Vanoni, V.A. 1975. "Sedimentation Engineering." ASCE Manuals and Reports on Engineering Practice-No. 54. New York. 745 pp.
- WES. 1998. U.S. Army Engineer Waterways Experiment Station. "LTFATE cohesive sediment transport model." Technical Note DOER-N1. Vickburg, MS.